



Rebate  
Catalog

Save money on qualified Lighting,  
Refrigeration, Appliances and more.

# Refrigeration Requirements

Please read the details below to ensure you are installing a qualifying product(s).

## Vending Machine Controller

### REQUIREMENTS

- Intended for refrigerated vending machines containing only non-perishable bottled or canned beverages.
- Controller must include a passive infrared occupancy sensor to turn off display lights and compressor when surrounding area is unoccupied for 15 minutes or longer.
- Control logic should periodically power up machine at 2-hour intervals to maintain product temperature and provide compressor protection.
- Refurbished vending machines that include this option are eligible.

**\$90**

REBATE PER CONTROLLER

REBATE ID CR006

USEFUL LIFE PERIOD: 5 years

## Plastic Swinging Doors

### REQUIREMENTS

- New plastic swinging doors must be installed on doorways of refrigerated spaces (conditioned to less than 50° F).

**\$6**

REBATE PER SQ. FT.

REBATE ID CR022

USEFUL LIFE PERIOD: 4 years

## Night Covers for Vertical and Horizontal Cases

### REQUIREMENTS

- Must install a cover on an otherwise open display case to decrease cooling load of the refrigerated case during off hours.
- These film-type covers should have small, perforated holes to decrease moisture buildup.
- Case manufacturer must not object to the use of this measure.
- The cover must be applied for a period of at least six hours per day.

**\$2.75**

REBATE PER LINEAR FT.  
for Vertical Cases

REBATE ID CR020

**\$2.75**

REBATE PER LINEAR FT.  
for Horizontal Cases

REBATE ID CR021

USEFUL LIFE PERIOD: 5 years

## ENERGY STAR®

## Commercial Ice Machines

### REQUIREMENTS

- Ice machines must be tested in accordance with the Air-Conditioning, Heating, and Refrigeration Institute (AHRI) Standard 810. Visit <http://www.ahrinet.org> for product information and testing procedures.
- Specifications are available at [www.energystar.gov/cfs](http://www.energystar.gov/cfs) and [www.cee1.org](http://www.cee1.org).
- A list of qualifying units can be found at [www.cee1.org](http://www.cee1.org).
- Includes machines generating ice cubes that are 60 grams (2 oz.) or lighter. It also includes flaked, crushed and fragmented ice makers.
- Only air-cooled machines qualify (self contained, ice making heads, or remote condensing).
- The entire AHRI tested ice making system must be purchased. Remote machines must be purchased with qualifying remote condenser or remote condenser/compressor unit.

**\$40**

REBATE PER UNIT  
(101-300 lbs/day)

REBATE ID CR013

**\$55**

REBATE PER UNIT  
(301-500 lbs/day)

REBATE ID CR015

**\$90**

REBATE PER UNIT  
(501-1,000 lbs/day)

REBATE ID CR017

**\$150**

REBATE PER UNIT  
(1,001-1,500 lbs/day)

REBATE ID CR018

**\$190**

REBATE PER UNIT  
(1,501 + lbs/day)

REBATE ID CR019

USEFUL LIFE PERIOD: 10 years

## Appliance Requirements

Please read the details below to ensure you are installing a qualifying product(s).

### ENERGY STAR® Room Air Conditioner

#### REQUIREMENTS

- Must be ENERGY STAR® qualified.

#### EXCLUSIONS

- Limit 2 ENERGY STAR® qualified Room Air Conditioner rebate per business within an 9 year period.

**\$50**

REBATE PER UNIT

REBATE ID CAP001

USEFUL LIFE PERIOD: 9 years

### Electric Tank Storage Water Heater

#### REQUIREMENTS

- Capacity must be 40 gallons or more.
- Must have an Energy Factor (EF) of 0.96 or greater.

#### EXCLUSIONS

- Only residential-style electric storage water heaters qualify.  
Go to [www.ahridirectory.org](http://www.ahridirectory.org) for a list of qualifying water heaters.
- Instantaneous/tankless water heaters do not qualify.

**\$75**

REBATE PER UNIT

REBATE ID CAP002

USEFUL LIFE PERIOD: 15 years

### ENERGY STAR® Heat Pump Storage Water Heater

#### REQUIREMENTS

- Must qualify as an Energy Star® heat pump water heater - see <https://www.energystar.gov/productfinder/product/certified-water-heaters/> for a list of qualified heat pump water heaters.
- Must replace electric tank storage water heater.
- Must have a Uniform Energy Factor (UEF) of 2.2 or greater.
- Must have a capacity greater than 40 gallons.
- Must be installed outside the air-conditioned working space.

#### EXCLUSIONS

- Limit 1 ENERGY STAR® qualified Heat Pump Water heater rebate per MID account within a 10 year period.

**\$500**

REBATE PER UNIT

REBATE ID CAP003

USEFUL LIFE PERIOD: 10 years

## Lighting Requirements

Please read the details below to ensure you are installing a qualifying product(s).

#### Lighting Limitations

- An MID inspection of the pre-existing lighting scheme is required prior to the installation of new equipment. Written lighting proposal (including detailed changes in lighting levels) may be required prior to MID inspection. Call (209) 526-7339 to arrange for an inspection.
- All lighting equipment must be new. Used or rebuilt equipment is not eligible for rebates.
- Rebates are offered for initial conversion/installations only (i.e., customers may not apply for rebates to replace burned out lamps, fixtures or ballasts for which they received past MID rebates).
- MID reserves the sole right to make determination of program eligibility and compliance.
- Brand name and model numbers must be included on invoice.
- Rebates intended for one-to-one replacements while maintaining equivalent lighting levels.
- Must meet current CA Title 24 standards

## Lamps

### ENERGY STAR® LED Lamps

#### Interior Canister or Track Lighting – Screw-In

#### REQUIREMENTS

- Comply with current ENERGY STAR® Eligibility Criteria; and provide clear and consistent labeling of ENERGY STAR® qualified integral LED lamps.
- Lamps must be listed at: [www.energystar.gov](http://www.energystar.gov) to qualify.
- Only downlighting applications are eligible for rebates.
- Must replace incandescent or fluorescent, PAR, R and/or reflector flood lamps.
- Must have an integrated LED driver and an ANSI standardized base.
- Interior applications only.
- Must provide +/- 10% of existing lumen output.

**\$4**

REBATE PER LAMP

45 – 99 Watt Lamp Basecase,  
up to 25 Watt Replacement Lamp

REBATE ID CL074

**\$6**

REBATE PER LAMP

100 – 150 Watt Lamp Basecase,  
up to 40 Watt Replacement Lamp

REBATE ID CL073

USEFUL LIFE PERIOD: 10 years

## New Exterior LED Security Lighting

### New Exterior LED Security Lighting

#### REQUIREMENTS

- MID must conduct a pre-inspection and approve all proposed installations before the commencement of any work.
- Fixtures must be Design Lights Consortium (DLC) listed ("DLC qualified" should be notated on packaging or manufacture product sheets or can be verified at [www.designlights.org](http://www.designlights.org)).
- Fixtures must be listed and within the wattage ranges provided for rebate.
- Fixtures must be installed as new installations, not replacing any other light source, mounted on the exterior of a structure or on a pole.
- Fixtures must be controlled by either a photo cell or time clock (fixtures controlled by motion sensors do not qualify).
- Fixtures must be new (not used or refurbished) qualified LED Outdoor Full Cutoff Wall Mounted Area Luminaires, LED Outdoor Non/Semi Cutoff Wall Mounted Area Luminaires, LED Parking Garage Luminaires, LED Outdoor Security Flood or Spot Luminaires, or LED Outdoor Pole/ Arm Security Luminaires.
- Fixtures must operate on average a minimum of 8 hours per night and/or 2900 hours per year.



Pre-inspection required.

**\$15**

REBATE PER FIXTURE  
15-35 LED Fixture Watts

REBATE ID CL080

**\$25**

REBATE PER FIXTURE  
36-74 LED Fixture Watts

REBATE ID CL081

**\$35**

REBATE PER FIXTURE  
75-100 LED Fixture Watts

REBATE ID CL082

**\$45**

REBATE PER FIXTURE  
101-125 LED Fixture Watts

REBATE ID CL083

USEFUL LIFE PERIOD: 10 years

## Case Lighting

### LED Refrigerated Case Lighting

#### REQUIREMENTS

- Qualifying LED lighting system must replace existing fluorescent lighting in existing medium temperature or low temperature display cases.
- The LED lighting system wattage must be less than 42 watts/lamp for center lamps and 21 watts/lamp for end lamps.
- Lumen levels and Color Rendering Index (CRI) may be decreased due to this retrofit.
- Must be included on the Qualified LED Product List at: [www.caioulightingqpl.com](http://www.caioulightingqpl.com) or [www.designlights.org/qpl](http://www.designlights.org/qpl).
- Rebate based on number of linear feet of lamps installed and the type of lighting replaced.

**\$5**

REBATE PER LINEAR FT.  
LED Case Lighting

REBATE ID CR007

USEFUL LIFE PERIOD: 16 years

## Accent/Directional Lighting - Interior

### ENERGY STAR® LED Surface, Pendant and Recessed Downlight Fixtures

#### REQUIREMENTS

- Based on a one-to-one replacement of incandescent or fluorescent lamps  $\geq$  40 watts in interior installations.
- New fixture wattage must not exceed 15 watts.
- All new LED downlight module or fixtures must be ENERGY STAR® qualified.
- Visit [www.energystar.gov](http://www.energystar.gov) for additional information.
- Customers are responsible for verifying that new fixtures work with existing lighting controls.

**\$22.50**

REBATE PER FIXTURE  
ENERGY STAR® (LED) Surface, Pendant and  
Recessed Downlight Fixtures

REBATE ID CL072

USEFUL LIFE PERIOD: 10 years

## Signage

### Channel Signs (LED) REQUIREMENTS

- Must replace incandescent-lighted or neon-lighted channel letter signs.
- LED retrofit kits or complete LED replacement signs are eligible.
- Replacement signs cannot use more than 20% of the actual input power of the sign that is replaced.
- Measure the length of the sign as follows:
  1. Measure the length of each individual letter at the centerline. Do not measure the distance between letters.
  2. Add up the measurements of each individual letter to get the length of the entire sign being replaced.

**\$1.50**

REBATE PER FOOT  
Outdoor ≤ 2 ft. Retrofit

REBATE ID CL043

**\$3.00**

REBATE PER FOOT  
Indoor ≤ 2 ft. Retrofit

REBATE ID CL041

**\$1.50**

REBATE PER FOOT  
Outdoor ≤ 2 ft. Replacement

REBATE ID CL044

**\$3.00**

REBATE PER FOOT  
Indoor ≤ 2 ft. Replacement

REBATE ID CL042

**\$2.25**

REBATE PER FOOT  
Outdoor > 2 ft. Retrofit

REBATE ID CL047

**\$4.50**

REBATE PER FOOT  
Indoor > 2 ft. Retrofit

REBATE ID CL045

**\$2.25**

REBATE PER FOOT  
Outdoor > 2 ft. Replacement

REBATE ID CL048

**\$4.50**

REBATE PER FOOT  
Indoor > 2 ft. Replacement

REBATE ID CL046

USEFUL LIFE PERIOD: 16 years

## Controls

### Occupancy Sensors REQUIREMENTS

- Rebate applies to hardwired passive infrared and/or ultrasonic detectors that control interior lighting fixtures only.
- Wall-box sensors are self-contained units without an exterior switch pack or relay that are designed to replace a standard wall switch. Fixture-integrated sensors are factory-installed units in lighting fixtures used in interior installations which control all the lamps in the fixture.

**\$26.00**

REBATE PER SENSOR  
Wall or Ceiling Mounted  
<500 Watts

REBATE ID CL050

**\$11.00**

REBATE PER SENSOR  
Fixture Integrated in Installations  
<500 Watts

REBATE ID CL053

**\$41.00**

REBATE PER SENSOR  
Wall or Ceiling Mounted  
≥500 Watts

REBATE ID CL051

**\$30.00**

REBATE PER SENSOR  
Fixture Integrated in Installations  
≥500 Watts

REBATE ID CL052

**\$3.75**

REBATE PER SENSOR  
Wall - Switch (Wall Box)

REBATE ID CL049

USEFUL LIFE PERIOD: 8 years

### Photocells REQUIREMENTS

- Rebate applies to built-in or stand-alone photoelectric cells that switch outdoor lighting loads on at dusk and off at dawn.

**\$8.00**

REBATE PER PHOTOCELL

REBATE ID CL054

USEFUL LIFE PERIOD: 8 years

### Plug Load Occupancy Sensors REQUIREMENTS

- Rebate applies to passive infrared and/or ultrasonic detectors only.
- Plug-load sensors must control electricity-using equipment in offices or cubicles, including shared copiers and/or printers.

**\$11.25**

REBATE PER SENSOR

REBATE ID CL056

USEFUL LIFE PERIOD: 10 years

# HVAC & Air Conditioning Requirements

Please read the details below to ensure you are installing a qualifying product(s).

## Commercial Air Conditioning Limitations

- Rebate amounts will be calculated based on unit cooling capacity to the nearest 6,000 Btu/h.
- Eligible units must meet all the minimum efficiency performance criteria applicable for each equipment category.
- A California licensed contractor with a C-20 license must perform installation. An exception to this requirement may be made in cases where a customer has their own qualified employee(s), as designated by appropriate job title, install qualifying air conditioning at their business location.
- Contractor must complete and sign the Information and Certification portion of the rebate application.
- Brand name and model numbers must be included on invoice.
- For Split or Packaged Unitary Systems < 65,000 Btu/h (single phase), units must be listed (Active status) on the CEE Directory of Efficient Equipment ([www.ceedirectory.org](http://www.ceedirectory.org)). All other units must be listed (Active status) on the AHRI Directory of Certified Product Performance ([www.ahridirectory.org](http://www.ahridirectory.org)). CEE = Consortium for Energy Efficiency;
- AHRI = Air Conditioning, Heating and Refrigeration Institute.
- Attach the current AHRI Certificate of Product Ratings.
- For rooftop installations, customer must provide code-compliant access for MID inspection.
- Rebate given for replacing an existing air conditioner or adding a new unit.

## Package Terminal AC & Heat Pump (<24,000 Btu/h)

Unit Capacity	EER – PTAC	EER – PTHP
< 7,000 Btu/h	11.29	11.17
7,000 to 15,000 Btu/h	10.27	10.15
> 15,000 Btu/h	9.29	9.13

**\$75**

REBATE PER UNIT

REBATE ID CH001

USEFUL LIFE PERIOD: 15 years

## Ductless Mini-Split AC & Heat Pumps (<65,000 Btu/h)

Ductless mini-split air conditioning systems (a.k.a. ductless heating and cooling systems) are highly efficient products that deliver warm or cool air directly into different zones in the building, instead of routing it through ducts first. They are a cost-effective solution to replace inefficient baseboard electric heating and window air conditioners.

- Minimum efficiency 16.0 SEER; 8.5 HSPF.
- Unit equals inside head.
- Maximum rebate \$1000.
- System cooling capacity cannot exceed 5 tons.

**\$250**

REBATE PER UNIT  
A/C

REBATE ID CH023

USEFUL LIFE PERIOD: 15 years

**\$350**

REBATE PER UNIT  
Heat Pump

REBATE ID CH021

USEFUL LIFE PERIOD: 15 years

## Variable Frequency Drives (VFD) For HVAC Fans

- VFD incentives are for fan applications on HVAC distribution systems up to 100 hp.
- Existing control devices, such as inlet vanes, bypass dampers and throttling valves, must be removed or permanently disabled.
- A 3% impedance choke is recommended.

**\$70**

REBATE PER Hp

REBATE ID CH012

USEFUL LIFE PERIOD: 15 years

## Energy Star® Smart Thermostat

### REQUIREMENTS

- Thermostats must qualify as an Energy Star® Smart Thermostat. See [https://www.energystar.gov/products/heating/smart\\_thermostats](https://www.energystar.gov/products/heating/smart_thermostats) for a list of qualified thermostats.
- Smart thermostat must be new and replace existing manual or programmable thermostat on a central heating and cooling system.

### LIMITATIONS

- Limit six thermostat rebate per business.

**\$50**

REBATE PER UNIT  
for central AC/  
Heat Pump – electric heating

REBATE ID HC115

USEFUL LIFE PERIOD: 11 years

## Unitary Split-System & Single-Package AC & Heat Pump (<65,000 Btu/h)

A Unitary Air Conditioner is one or more factory made assemblies ordinarily including evaporator coil(s), compressor(s), and condenser(s). An Air-Source Unitary Heat Pump ordinarily includes these same components plus a reverse mode for heating. When these components are integrated into one cabinet, they are single packaged units; when provided in separate assemblies and designed to be used together, they are split systems.

- AC units must meet SEER and EER; Heat Pumps must meet SEER, EER and HSPF.
- Single phase, split systems < 65,000 Btu/h using water/evaporative cooled condensers may be eligible provided that the a/c system has a current AHRI Certificate of Product Ratings. MID will determine qualification for rebate.

Equipment Type	Efficiency Level	Configuration	SEER	EER	HSPF (Heat Pump)
Air Cooled	CEE Tier 1	Split	15.0	12.5	8.5
		Packaged	15.0	12.0	8.2
	CEE Tier 2	Split	16.0	13.0	9.0
		Packaged	16.0	12.0	8.2
Water/ Evaporative Cooled	CEE Tier 1	Split and Packaged	NA	14.0	4.6 COP

SEER = Seasonal Energy Efficiency Ratio

EER = Energy Efficiency Ratio

HSPF = Heating Seasonal Performance Factor

COP = Coefficient of Performance

**\$120**

REBATE PER TON

AC or HP Unitary System  
< 65 kBtu/h, Air-cooled (CEE Tier 1)

REBATE ID CH004

**\$160**

REBATE PER TON

AC or HP Unitary System  
< 65 kBtu/h, Air-cooled (CEE Tier 2)

REBATE ID CH005

**\$135**

REBATE PER TON

AC or HP Unitary System  
< 65 kBtu/h, Water-cooled (CEE Tier 1)

REBATE ID CH006

USEFUL LIFE PERIOD: 15 years

## Unitary Split-System & Single-Package AC & Heat Pump (65,000 Btu/h & <760,000 Btu/h)

These units are factory-made Commercial and Industrial Unitary Air-Conditioning and Heat Pump Equipment, as defined by AHRI Standard 340/360. This standard applies only to electrically operated, vapor compression refrigeration systems.

- For units with cooling capacity of 20 tons or more, contact MID Energy Services at (209) 526-7339 prior to installation.
- AC units must meet EER and IEER; Heat Pumps must meet EER, IEER and COP.

Minimum required efficiency: CEE Tier 1		AC		Heat Pump (HP)		
Equipment Type	Unit Capacity	EER	IEER	EER	IEER	COP
Air Cooled	65,000 – 134,999 Btu/h	12.2	14.0	11.8	13.6	3.4
	135,000 – 239,999 Btu/h	12.2	13.2	10.9	12.8	3.3
	240,000 – 759,999 Btu/h	10.5	12.3	10.3	11.8	3.3
	≥ 760,000 Btu/h	CUSTOM REBATE – CALL MID FOR INFORMATION – (209) 526-7339				
Water/Evaporative Cooled (Unitary)	65,000 – 134,999 Btu/h	14.0	15.3	14.0	NA	4.6
	≥ 135,000 Btu/h	14.0	14.8	NA	NA	NA

EER = Energy Efficiency Ratio

IEER = Integrated Energy Efficiency Ratio

COP = Coefficient of Performance

**\$120**

REBATE PER TON

AC/HP Unitary System 65-134 kBtu/h,  
Air-Cooled

REBATE ID CH007

**\$120**

REBATE PER TON

AC/HP Unitary System 135-239 kBtu/h,  
Air-Cooled

REBATE ID CH008

**\$120**

REBATE PER TON

AC/HP Unitary System 240-759 kBtu/h,  
Air-Cooled

REBATE ID CH009

**\$135**

REBATE PER TON

AC/HP Unitary System 65-134 kBtu/h,  
Water-Cooled

REBATE ID CH010

**\$135**

REBATE PER TON

AC/HP Unitary System ≥135 kBtu/h, Water-Cooled

REBATE ID CH011

USEFUL LIFE PERIOD: 15 years

## Variable Refrigerant Flow (VRF) Multi-Split AC & Heat Pump (<300,000 Btu/h)

These units are factory-made Commercial Air-Conditioning and Heat Pump Equipment as defined by AHRI Standard 1230. This standard applies only to electrically operated, vapor compression refrigeration systems capable of operating either as an air conditioner or a heat pump.

Minimum required efficiency: CEE Tier 1		AC		Heat Pump (HP)		
Equipment Type	Unit Capacity	EER	IEER	EER	IEER	COP
Air Cooled	< 65,000 Btu/h	12.5	15.0 SEER	12.5	15.0 SEER	8.5 HSPF
	65,000 – 134,999 Btu/h	11.7	14.9	11.3	14.2	3.4
	135,000 – 239,999 Btu/h	11.7	14.4	10.9	13.7	3.2
	≥ 240,000 Btu/h	10.5	13.0	10.3	12.5	3.2
Water Cooled	< 135,000 Btu/h	NA	NA	14.0	NA	4.6

EER = Energy Efficiency Ratio  
 IEER = Integrated Energy Efficiency Ratio  
 COP = Coefficient of Performance

**\$125**  
 REBATE PER TON  
 AC/HP VRF System <65 kBtu/h,  
 Air-Cooled  
 REBATE ID CH016

**\$125**  
 REBATE PER TON  
 AC/HP VRF System 65-134 kBtu/h, Air-Cooled  
 REBATE ID CH017

**\$125**  
 REBATE PER TON  
 AC/HP VRF System 135-239 kBtu/h, Air-Cooled  
 REBATE ID CH018

**\$125**  
 REBATE PER TON  
 AC/HP VRF System ≥ 240 kBtu/h,  
 Air-Cooled  
 REBATE ID CH019

**\$140**  
 REBATE PER TON  
 AC/HP VRF System <135 kBtu/h,  
 Water-Cooled  
 REBATE ID CH020  
**USEFUL LIFE PERIOD: 15 years**



# Window Sun Shading Requirements

Please read the details below to ensure you are installing a qualifying product(s).

## Window Film, Sun Screen and Awnings

### REQUIREMENTS

- Must be installed according to the manufacturer's instruction on south, east or west facing windows (any direction except 45 degrees of true north). Qualification of marginal orientations and / or circumstances is subject to the sole discretion of MID.
- Number of windows and square feet installed must be included on invoice.
- Must have a minimum five-year manufacturer's warranty.
- Must be installed in space conditioned by refrigerated air conditioning (central, window or wall unit).
- Awning must be at least as wide as the window aperture.

### HOW TO DETERMINE SOLAR HEAT GAIN COEFFICIENT

Multiply the shading coefficient (SC) by 0.87 to determine the solar heat gain coefficient (SHGC).  
 $SC \times 0.87 = SHGC$

**WINDOW FILM:** Must have a SHGC of .39 or less and cover the entire window aperture. Applied to the glass only. Doesn't cover an opening.

**SUN SCREENS:** Must have a SHGC of .35 or less and cover the entire window aperture.

**AWNING:** Must be at least as wide as the window aperture.

### EXCLUSIONS

- Interior window treatments (curtains, blinds and shutters) are not eligible for Sun Screen rebate.
- Windows must not be shaded by existing awnings, exterior curtains or blinds or any other shading device.

### OTHER INFORMATION

- Rebate based on square footage of qualifying window.

**\$1.00**

REBATE PER SQ FT  
Window Film

REBATE ID CW001

**\$1.00**

REBATE PER SQ FT  
Sun Screen

REBATE ID CW002

**\$1.00**

REBATE PER SQ FT  
Window Awnings

REBATE ID CW003

USEFUL LIFE PERIOD: 10 years

# Pool Filtration Pump Requirements

Please read the details below to ensure you are installing a qualifying product(s).

## ENERGY STAR® Qualified Variable-Speed Pool Pump & Motor

### REQUIREMENTS

- All manufacturer installation requirements must be followed. Permit required if electrical upgrades required.
- See [www.energystar.gov](http://www.energystar.gov) for a list of qualified units. Only variable-speed units are eligible for rebate.
- Equipment and materials must meet or exceed all applicable local, state and federal standards.
- Must be installed on new or existing in-ground swimming pools for primary filtration only.
- Replacement units must be of equal or lesser horsepower that existing single or two speed pump & motor (retrofit only).



Pre-inspection is required.

**\$400**

REBATE PER UNIT

REBATE ID CP101

USEFUL LIFE PERIOD: 10 years

### EXCLUSIONS

- Cannot exceed 10 horsepower.
- Above-ground pool, pond, pool cleaner booster, spa and water feature pumps and rewinding of motors do not qualify.
- Maximum of 4 Energy Star® Qualified Variable-Speed Pool Pump & Motor within a 10 year period.

## Modesto Irrigation District's MPower Business Rebate Program offers commercial, industrial and agricultural customers rebates for the purchase and installation of qualifying energy efficient products in existing facilities.

### HOW TO APPLY

1. Complete, sign and submit an MPower Business Rebate application with any required supporting documents to MID.
2. An MID representative will contact the customer/applicant and perform a site pre-inspection if necessary.
3. An MID representative will provide written rebate pre-approval to install the equipment.
4. Complete the project and provide final invoices to the MID representative.
5. MID will conduct an on-site inspection to approve rebate for payment.
6. Submit MPower Business Rebate application package to:

MID (Attn: Energy Services)  
PO Box 4060  
Modesto, CA 95352

### Terms and Conditions

#### Purchase

- Purchase (not lease) and install qualifying product(s) between November 1, 2018 and December 15, 2019. These dates may change if funds are depleted sooner. Qualifying products must be installed before submitting your application. The application and supporting materials should be submitted within 90 days of purchase date. All applications must be postmarked by December 15, 2019 to be considered eligible. Exception: Applications for rebate items that are discontinued mid-year must be received by rebate item end date (see Rebate Catalog for details).
- For all qualifying measures, the product purchase date is determined by proof of purchase documents, such as the customer acceptance date of a contract for services, a detailed itemized and dated paid invoice, contract or the printed date on a store cash register receipt. Proof of purchase document(s) must include price per product and detailed payment terms or "type of transaction" (i.e., cash, credit, etc.). Leases and/or performance based projects and previously owned equipment do not qualify for MID rebates.
- Funds received from sources other than MID rebate programs that lower the cost of the project may reduce the incentive amount applicants receive from MID. These sources include all third-party energy efficiency programs offering direct funding, financing or rebates (other than tax credits). The funded amount(s) will be deducted from the actual and documented Project Cost when calculating eligible project cost. Applicants are required to inform MID of any other incentives for which they have applied and/or may receive.

#### Inspection

Pre-Inspection may be required. See each measure for details.

- Customer must disclose to MID, at the time of the rebate pre-inspection (if required for rebate item), exactly what energy efficiency modifications are planned and where on the premises they will be installed. Projects that

significantly differ in application, scope of install location from MID's information may not be eligible for rebate.

- All products are subject to a post-installation inspection by MID.
- MID reserves the right to request manufacturer specifications and/or data for any product.

#### Payment

- Rebates anticipated to exceed \$3,000 and all exceptions require written pre-authorization of the MID Energy Services Department.
- Rebate payments are limited to 100% of eligible costs of qualifying products (excludes installation, taxes, shipping, handling and warranty costs and minus any funds received from other sources).
- Customers – Rebates of \$600 or less are issued as credits on the business electric account. Rebates greater than \$600 are issued by check. IRS W-9 form is required for rebates issued by check. IRS W-9 form must be current version. MID is not responsible for any taxes that may be imposed as a result of these rebates.
- Rebates will only be issued to customers in good financial standing with MID (subject to MID approval).
- Rebates take from six to eight weeks to process.

#### General

- Rebates are provided for qualifying product(s) installed in a business location receiving electricity from MID to customers in good financial standing with MID (subject to MID approval).
- All installations must be installed in accordance with all applicable local, state and national codes and ordinances.
- These rebates do not apply to new construction, additions to existing facilities, or reconstruction of existing facilities (i.e.: gut and rehab, change of occupancy) that must comply with CA Title 24 Energy Standards. See MID web site for information about rebates for non-residential new construction.
- Applications will not be processed until all

proper documentation is received. Upon MID notification, if required documentation is not received by MID within 30 days, the application will be voided. All documentation must be legible.

- Products can only receive one MPower Business rebate from MID during its useful life period(see Express Rebate Catalog). Reapplication for rebate will not be accepted during this period.
- MID is not responsible for any taxes that may be imposed as a result of these rebates.
- MID makes no representation or warranty and assumes no liability with respect to quality, safety, performance or other aspect of design, system or appliance installed pursuant to this agreement and expressly disclaims any such representation, warranty or liability.
- There are periodic changes to CA Title 24 Efficiency Standards. It is the responsibility of the contractor and customer to comply with all current standards through their local city, county or other compliance authority. MID rebates are only available for items that are not required by or in excess of CA Title 24 requirements when applicable. MID reserves the right to request all CA Title 24 compliance documentation before approving any rebates incentive.
- Rebates issued at the sole discretion of MID.
- MID reserves the right, without prior notice, to periodically review and make changes to rebate Qualification standards and to determine final program eligibility.

#### Annual Application Cap

- The annual application cap for this program is determined per account, by the applicable MID electric rate schedule:
  - \$10,000 (GS-1, FL, SL)
  - \$20,000 (P-3, GS-2 up to 499 kW)
  - \$30,000 (GS-2 500-1000 kW, GS-TOU)
  - \$50,000 (P-4, GS-3)
  - \$75,000 (IC-25)
- Applications for rebates above these amounts will not be accepted unless preauthorized by MID.